


WASH & HEALTH Integration , KACHIN STATE
(April - June 2022)



HEALTH

Source of information

The information of acute watery diarrhea and influenza like illness are received from Rakhine Early Warning, Alert and Response System (EWARS). Note that real-time EWARS monitoring is practiced, and that necessary actions are independent of this analysis.

Detailed information for standard operating procedure - <http://bit.ly/33tBDiX> and database manual - <http://bit.ly/36ghhfn>

Formula for proportional morbidity: Numerator is the number of acute watery diarrhea cases (OR) number of Influenza like illness (new cases only) divided by the denominator of total number of consultations in the same area during the specified time period.

Contact Us:

CURTIN NIEMI, Tamara
WHE Technical Officer,
Health Cluster Coordinator curtinniemi@who.int
WHO Yangon Office
Pyae Phyo Kyaw
Information Management Officer
WHO Health Emergency Program
+95-1-534 300, +95-1-534 307
Ext 24229 Fax 538233, 538435 pkyaw@who.int
WHO Yangon Office

WASH

Source of information

The information is coming from WASH partners' quarterly 4W report.

For more detail information : Follow the link:
https://drive.google.com/open?id=0B_b4O8K580rKa2Y3dF9sU1dUeTg

Contact Us:




Eyad Aldubai
Myanmar WASH Cluster Coordinator
ealdubai@unicef.org
UNICEF Yangon Office
Mee Mee Thaw
WASH Cluster Information Management Officer,
(+95) 0976 073 2063
mthaw@unicef.org,
UNICEF Yangon Office





WASH Indicators	Definition	Corresponding 4W sub indicator	Parameter/Assumptions
Number of women, men, boys and girls benefitting from safe/improved drinking water, meeting demand for domestic purposes, at minimum/agreed standards	Safe water: fecal coliform count of 0 organisms per 100 ml of water Improved source of water: type of water source that, by nature of its construction or through active intervention, is likely to be protected from outside contamination, in particular from contamination with fecal matter. Domestic purposes: bathing, drinking and cooking	# of functional improved water sources in the site operating at the end of the reporting period # of litres of water supplied by existing water boating/trucking over 90 days to total population in the site # minimum volume of water (in Litres) stored in ponds during the reporting period	Improved water sources: Hand dug well 400 people, Hand Pump 500 people, Tank, Water Boating/Trucking, Distribution System, Pond = 15Liters/Person/Day : 8 hr tapstand open,
Number of targeted women, men, boys and girls benefitting from a functional excreta disposal system, reducing safety/public health/environmental risks	Functioning excreta disposal system: system which leads to safe disposal of excreta, so that it does not contaminate the environment, water, food or hands, is essential for ensuring a healthy environment and for protecting personal health.	# of functional adult latrines that meet design requirements in the site operating during reporting period # of functional children latrines that meet design requirements in the site operating during reporting period # of persons with disabilities with adapted sanitation option	Camp: 20people : 1latrine
Number of targeted women, men, boys and girls benefitting from timely and/or adequate and/or tailored personal hygiene items and receiving appropriate/ community tailored messages that enable health seeking behavior		# of people (men) receiving consultation, hygiene promotion messages and sessions during reporting period # of people (women) receiving consultation, hygiene promotion messages and sessions during reporting period # of people (boys) receiving consultation, hygiene promotion messages and sessions during reporting period # of people (girls) receiving consultation, hygiene promotion messages and sessions during reporting period # of affected households receiving a sufficient quantity of soap during the reporting period # of affected women and girls receiving a sufficient quantity of sanitary pads during the reporting period	# of people receiving consultation, hygiene promotion messages and sessions during reporting period (OR) # of people receiving basic Hygiene items

KACHIN STATE - IDP sites (2022 - Qtr 2 - HEALTH & WASH Integrated Analysis, April - June 2022)

WATER, SANITATION AND HYGIENE | HEALTH

Township	# of WASH covered sites	Total PoP	# of people benefitting from safe/improved drinking water, meeting demand for domestic purposes, at minimum/agreed standards	# of people benefitting from a functional excreta disposal system, reducing safety/public health/environmental risks	# of People benefitting from timely and/or adequate and/or tailored personal hygiene items and receiving appropriate/ community tailored messages that enable health seeking behavior	# of sites with Health intervention	Total consultations	Cases of Acute watery diarrhea	Proportional morbidity of AWD
Bhamo	9	6,976	6,976	5,297	4,679				
Chipwi	3	2,526	1,306	1,744	2,320	2	335	0	0.0%
Hpakant	19	3,807	3,050	3,019	3,553				
Injyangyang	1	591	591	591	591				
Mansi	10	12,473	8,903	10,020	11,140	3	1547	12	0.8%
Mogaung	8	1,666	1,666	1,162	1,305				
Mohnyin	2	198	198	68	68				
Momauk	20	34,325	12,276	21,206	18,445	2	233	5	2.1%
Myitkyina	25	11,566	11,566	8,258	6,021	20	3768	6	0.2%
Shwegu	3	1,879	1,879	524	300	2	129	1	0.8%
Sumprabum	2	676	676	676	323				
Tanai	3	1,276	1,152	483	793				
Waingmaw	25	29,185	13,748	20,140	17,985	13	3085	26	0.8%
Grand Total	130	107,144	63,987	73,188	67,523	42	9,097	50	0.5%





HEALTH

Source of information

The information of acute watery diarrhea and influenza like illness are received from Rakhine Early Warning, Alert and Respon se System (EWARS). Note that real-time EWARS monitoring is practiced, and that necessary actions are independent of this analysis.

Detailed information for standard operating procedure - <http://bit.ly/33tBDiX> and database manual - <http://bit.ly/35ghfN>

Formula for proportional morbidity: Numerator is the number of acute watery diarrhea cases (OR) number of influenza like illn ess (new cases only) divided by the denominator of total number of consultations in the same area during the specified time period.