

## HEALTH

Source of informat

The information of acute watery diarrhea and influenza like illness are received from Rakhine Early Warning, Alert and Response System (EWARS). Note that real-time EWARS monitoring is practiced, and that necessary actions are independent of this analysis.

Detailed information for standard operating procedure - <a href="http://bit.ly/33tBDiX">http://bit.ly/33tBDiX</a> and database manual - <a href="http://bit.ly/36ghhfN">http://bit.ly/36ghhfN</a>

Formula for proportional morbidity: Numerator is the number of acute watery diarrhea cases (OR) number of Influenza like illness (new cases only) divided by the denominator of total number of consultations in the same area during the specified time period.

## **Contact Us:**

**Dr Ann Fortin** 

Health Cluster Coordinator afortin@who.int WHO Yangon Office

#### **Thein Tun Hlaing**

Information Management Officer thlaing@who.int
Health Cluster

#### WASH

Source of information

The information is coming form WASH partners' quarterly 4W report.

For more detail information : Follow the link: https://drive.google.com/open?id=0B\_b408K5B0r Ka2Y3dF9sU1dUeTg

# Contact Us:

Eyad Aldubai


Myanmar WASH Cluster Coordinator ealdubai@unicef.org UNICEF Yangon Office

# Mee Mee Thaw

WASH Cluster Information Management Officer, (+95) 0976 073 2063

mthaw@unicef.org, UNICEF Yangon Office

WASH Indicators	Definition	Corresponding 4W sub indicator	Parameter/Assumptions
drinking water, meeting demand for domestic purposes, at	Safe water: fecal coliform count of 0 organisms per 100 ml of water Improved source of water: type of water source that, by nature of its construction or through active intervention, is likely to be protected from outside contamination, in particular from contamination with fecal matter.  Domestic purposes: bathing, drinking and cooking	# of functional improved water sources in the site operating at the end of the reporting period # of litres of water supplied by existing water boating/trucking over 90 days to total population in the site # minimum volume of water (in Litres) stored in ponds during the reporting period	Improved water sources:Hand dug well 400 people, Hand Pump 500 people, Tank, Water Boating/Trucking, Distribution System, Pond = 15Liters/Person/Day: 8 hr tapstand open,
Number of targeted women, men, boys and girls benefitting from a functional excreta disposal system, reducing safety/public health/environmental risks	Functioning excreta disposal system: system which leads to safe disposal of excreta, so that it does not contaminate the environment, water, food or hands, is essential for ensuring a healthy environment and for protecting personal health.	# of functional adult latrines that meet design requirements in the site operating during reporting period # of functional children latrines that meet design requirements in the site operating during reporting period # of persons with disabilities with adapted sanitation option	Camp: 20people : 1latrine
Number of targeted women, men, boys and girls benefitting from timely and/or adequate and/or tailored personal hygiene items and receiving appropriate/ community tailored messages that enable health seeking behavior		# of people (men) receiving consultation, hygiene promotion messages and sessions during reporting period  # of people (women) receiving consultation, hygiene promotion messages and sessions during reporting period  # of people (boys) receiving consultation, hygiene promotion messages and sessions during reporting period  # of people (girls) receiving consultation, hygiene promotion messages and sessions during reporting period  # of affected households receiving a sufficient quantity of soap during the reporting period  # of affected women and girls receiving a sufficient quantity of sanitary pads during the reporting period	# of people receiving consultation, hygiene promotion messages and sessions during reporting period (OR) # of people receiving basic Hygiene items





# HEALTH Source of information The information of acute watery diarrhea and influenza like illness are received from Rakhine Early Warning, Alert and Respon se System (EWARS). Note that real-time EWARS monitoring is practiced, and that necessary actions are independent of this analysis. Detailed information for standard operating procedure - <a href="http://bit.ly/35tBDiX">http://bit.ly/35tBDiX</a> and database manual - <a href="http://bit.ly/35tBDiX">http://bit.ly/35tBDiX</a>

Formula for proportional morbidity: Numerator is the number of acute watery diarrhea cases (OR) number of influenza like illn ess (new cases only) divided by the denominator of total number of consultations in the same area during the specified time period.